

700 PROCO TRAIL KINGSVILLE, TEXAS 78363



"Ride With Quality"

CONTENTS

LEYEL GAUGES	2
SIGHT GLASSES	2
Pressure Gauges	3
Swivel Joints	3
TOOL BOXES	4
12 Volt Lights	5
Manways & Gaskets	5
SAFETY AGGESSORIES	6
GROUNDING REELS	6
VALVES	7
Moisture Traps & Shutoffs—	9
Float Seats	9
FLOAT BALLS	10
Pump Mount Accessories	10
PUMP MOUNTS	11-14
COWERY PUMPS	15-16
FRAG TANKS	19
Pump Accessories	20
Pump Rebuild Kits	21
HYDRAULIGS	21
HOSES	22
CAM FITTINGS	23
Suspensions & Axles	24-25
FENDERS	26

THE ITEMS INCLUDED IN THIS CATALOG REPRESENT A SMALL PERCENTAGE OF OUR ACTUAL INVENTORY.

IF YOU DO NOT FIND THE
PART YOU ARE LOOKING
FOR, OR YOU NEED A QUOTE
ON A CUSTOM JOB, PLEASE
DO NOT HESITATE TO CALL.

EVERY EFFORT HAS BEEN MADE TO REPRESENT OUR ITEMS CORRECTLY.

TERMS TO APPROVED ACCOUNTS:
NET 30 DAYS.

CREDIT CARDS ACCEPTED









Sight Eye Assembly

THREAD-IN GAUGE SHOWN WITH COUPLING

PART No. Size.
PA2GE102 2"
PA2GE103 3"



Sight Glass Tubes

PART NO. SIZE & LENGTH

PA2G1086 1 ½"0.D. X 6FT C.A.

PA2G1145 1 7/8" 0.D. X 5FT PVC

PA2G1146 1 7/8" 0.D. X 6FT C.A.

PA2G2006 2" 0.D. X 6FT C.A.

PA2G20610P 2 3/8" 0.D. X 10FT PVC

PA2G2065 2 3/8" 0.D. X 5FT PVC

PA2G2066 2 3/8" 0.D. X 6FT C.A.



Sight Eye Assembly Weld-in Gauge

PART No. SIZE
PA2GEOO3 3"
PA2GEOO5 5"



PVC Compression Fittings



PA2GF108 1 7/8" TUBE X 1 ½"N.P.T. PA2GF206 2 3/8" TUBE X 2" N.P.T.



Sight Glass Nipple 500 lb W.P. PART NO. SIZE.
PA2GN208 2"X8"
PA2GN308 3"X8"
PA2GN408 4"X8"

Float Level Gauge

CUSTOM BUILT TO FIT YOUR TANK.



G A U G E S

Liquid Filled Gauge Bottom Mount

PART No. PA2GVP2.5 1/4"N.P.T. BOTTOM 2 1/2" FACE FILLED, S.S. INTERNALS 30-0-30



Economical Gauge Vacuum/Pressure

PART NO. PA2GVP4D

1/4" N.P.T. BOTTOM

3 1/2" FACE FILLED,

BRASS INTERNALS 30-0-30



Liquid Filled Gauge Back Mount



PART No. PA2GVPB2.5F 1/4"N.P.T. BACK 2 1/2" FACE FILLED, S.S. INTERNALS 30-0-30

Liquid Filled Gauge Vacuum/Pressure

PART No. PAZGVP4F

1/2"N.P.T. BOTTOM

4" FACE FILLED,

S.S. INTERNALS 30-0-60

Swivel Joints

MANUFACTURED FROM CAST IRON AND EASILY REBUILDABLE FOR YEARS OF DEPENDABLE SERVICE



STYLE 20



STYLE 30

Ask about our 3rd party financing for your next Proco Trailer.

Underbody Toolbox



*Two Door Model

PART No.	LGTH.	ŀ	НСНТ	. H	Іднт.
DUB18	18"	Χ	18"	Χ	18"
DUB24	24"	Χ	18"	Χ	18"
DUB30	30"	Χ	18"	Χ	18"
DUB36	36"	Χ	18"	Χ	18"
DUB40	40"	Χ	18"	X	18"
DUB48	48"	Χ	18"	Χ	18"
DUB60*	60"	Χ	18"	Χ	18"
DUB72*	72"	Χ	18"	Χ	18"

Aluminum Toolbox



Ladder Rung

PART No. GS-R54



Truck Rock Guard




PROTECT YOU BACK
TRUCK WINDOW FROM
ROCKS AND DEBRIS
WITH A PROCO TRUCK
ROCK GAURD.

Toolbox Mount



PART No. PF9069-TB

Grip Strut





Transport Light Kit Grote Ultra Blue Seal



PART NO. PAZL130K

No splice connections... fool-proof and weather tight. Kit contains all wiring, lights and plugs for a standard 40ft. Trailer

Halogen Work Lights





PART No. PA2I0019

Trailer Scales



THE AIR-WEIGH TRAILER SCALE ACCURATELY MEASURES AND DISPLAYS THE TRAILER'S AXLE GROUP WEIGHT FOR AIR RIDE TRAILERS. TURN THE SUSPENSION OF ANY AIR-RIDE TRAILER INTO A DIGITAL AXLE WEIGHT SCALE.

<u>MANWAYS</u>



DIAMETERS 12" 20"

25" 30"

36"

MANWAYS COME WITH (6) WINGNUT STYLE CLOSURES IN 6" OR 12" NECK LENGTH AVAILABLE IN CARBON OR STAINLESS. ALSO AVAILABLE IN ASME CERTIFIED.

Greaseable Wingnuts

5/8"

PA31005AG

Knappco Manway Latches



PA33001

Preformed Manway Gaskets



AVAILABLE IN VITON, BUNA, & NEOPRENE

MATERIAL ALSO SOLD BY THE FOOT

© Copyright

Manway Spill Boxes



ALSO AVAILABLE:
CLAY BAILEY MANWAYS
GASKETS
AND DRAIN HOSES

Chicopole Co

Strobe Light Kit



PART NO. PA-STROBE

Fire Extinguisher

DRY CHEMICAL CLASS A,B,C

5LB. - 10LB. BRACKETS



Safety Decals

CAUTION

CAU

Back-Up Alarm



87-107 DB ULAPPROVED SAE TYPES A-D 12-48 VOLTS

Grounding Reel



25-50 FOOT LEAD - 100AMPS
AUTOMATIC RETURN

DOT 3M Reflective Tape



980-100E White Stripes

2"X12"

980-32ES
RED/WHITE ROLL

2"X150'

ALSO AVAILABLE IN 4" WIDTH

Flip Placards

Placards
PART NO. PLFC-493-R

Non Slip Tape

PART No. 19221





DOT Actuated Spring Closed Butterfly Valve



AVAILABLE IN DIFFERENT SEAT

AND DISC MATERIAL

Brass Lever Valve

PART No.	SIZE	
PA831000	1 "	
PA831080	1 1/2"	
PA832000	2"	
PA833000	3"	
PA834000	4"	



Brass Ball Valve

AVAILABLE SIZES 3/8" - 4"



Air Control Valves

V-8 SINGLE VALVE - V-88 DOUBLE VALVE

Acid Valves



ACID VALVES HAVE PVC BODIES AND DISCS. ALL LINERS AND SEALS ARE EPDM.

PART No. PA823400W


Butterfly Valve Wafer Style

IRON BODY, ALUMINUM /
BRONZE DISC, BUNA SEATS,
SS SHAFT
2" THRU 12"

OTHER SEATS AVAILABLE

RELIEF VALVES

Brass Pressure Relief Adjustable Set Pressures



Girard DOT 407 Pressure Relief Vent

AVAILABLE FOR 25, 30, 35 MAWP

PART No.

PA7V108B

P/N: PA7D407
VENT W/ FEMALE PIPE THR.

SIZE:

1 1/2"

Vacuum Relief

Pressure Relief ASME



PART No. DESCRIPTION PA7A1082 1 1/2"X2"

SET@25PSI

PA7A1083 1 1/2"X2"

SET@35PSI

PA7A2002 2"X2"

SET@25PSI

PA7A2003 2"X2"

SET@35PSI

AVAILABLE IN OTHER SIZES AND SET PRESSURES



Air Ride Dump Valve



Fusible Cap

PART NO. SIZE MATERIAL PA7FC3AF 3" ALUMINUM PA7FC3SF 3" STAINLESS

Girard DOT 407/412 Pressure/Vacuum Vent

Kunkle Valve

PART No. SIZE:
PA7B33718 2"-18PSI
PA7B3000 3"-10PSI

© Copyright



PRIMARY TRAPS ARE DESIGNED TO BE
THE FIRST LINE OF DEFENSE BY KEEPING
LIQUIDS OUT OF THE PUMP AND PREVENTING
EXPENSIVE PUMP DAMAGE.

SECONDARY TRAPS ARE THE NEXT STEP
IN PUMP PROTECTIONS. A PROPERLY
DESIGNED SECONDARY WILL ALSO SCRUB
THE AIR REMOVING DROPLETS AND
DEPOSITS.



Inside Scrubber PF9000

3" CONNECTIONS
6" FLOATBALL

External Scrubber



PF9001

3" CONNECTIONS
6" FLOATBALL

Portal Shutoffs

PRIMARY

NV-F-801B 12" W/12" NECK



AVAILABLE IN CARBON STEEL
OR STAINLESS,
ASME CERTIFIED OR
NON CODE

Moisture Traps

NATIONAL VACUUM SERIES EXTERNAL OR SECONDARY TRAP



PART No. CAPACITY

NVE-901-1 2 GAL.

NVE-901-4 5 GAL.

NVE-901-3 10 GAL.

SPECIFY 2" OR 3" NPT

Float Seats

AVAILABLE IN
BUNA, BLUE NITRILE & VITON



PART NO. SIZE PA2FS301 3 1/2"I.D.

PA2FS305 3" I.D.

PA2FS401 4 ½" I.D.

PA2FS601 6 5/8" I.D.

Float Balls

PART NO.	SIZE
PA2FB300	3"
PA2FB400	4"
PA2FB600	6"
PA2FB608N	6" W. ½" N.C. NUT
PA2FB610	6" W. 5/8" TUBE
PA2FB610N	6" W. 5/8" N.C. NUT
PA2FB800	8"
PA2FB808	8" W. ½" TUBE
PA2FB808N	8" W. ½" N.C. NUT
PA2FB810	8" W. 1/2" N.C. NUT
PA2FB810	8" W. ½"TUBE



20 GAUGE 304 STAINLESS STEEL OTHER TYPES AVAILABLE

J-Tube



PART NO. CA-8016

Vacuum Test Gauge



Hand Held Tachometer



7 Gallon Auxiliary Reservoir

PF9152






CVP620 TOP MOUNT BELT DRIVE



COWBOY PUMPS HAS ENGINEERED ONE OF THE MOST DURABLE AND SIMPLEST MOUNTS AVAILABLE IN THE MARKET TODAY, WE SPENT YEARS PERFECTING A SIMPLE BOLT-ON MOUNT FOR A FAST ECONOMICAL TURNAROUND, BUILT TO HANDLE THE TOUGHEST CONDITIONS. ALL MOUNTS ARE CUSTOM CUT OUT OF HEAVY DUTY 3/8" PLATE BY OUR CNC PLASMA TORCH TO INSURE PRECISION CUTS. THEN THE MOUNTS ARE SANDBLASTED AND POWDER COATED FOR SUPERIOR DURABILITY AND APPEARANCE. COWBOY PUMPS ENGINEERS WILL BE GLAD TO ASSIST IN ENGINEERING YOUR TOTAL VACUUM PUMP SYSTEM TO INSURE THE DURABILITY OF YOUR PUMP.


COWBOY'S TOP BELT DRIVE
MOUNT IS THE INDUSTRY'S
STANDARD. TRIED AND
TESTED FOR OVER 20 YEARS.
HEAVY DUTY 1 ½"
JACKSHAFT AND PILLOW BLOCK
BEARING INSURE LONG LIFE.
THIS MOUNT IS GUARANTEED
TO OUTLAST THE TRUCK.
THESE MOUNTS HAVE PREPUNCHED HOLES FOR ALL OF
COWBOY'S ACCESSORIES.
FROM THE 7 GALLON
AUXILIARY OIL RESERVOIR TO
THE 3" J-TUBE.




Auxiliary Oil Reservoir

> Oil Catch Muffler

Copyright



COWBOY'S SIDE BELT DRIVE MOUNT HAS BEEN DESIGNED
TO BOLT TO THE TRUCK FRAME WITH THE PUMP MOUNTED
UNDER THE FRAME RAIL. THESE MOUNTS ARE GREAT WHEN
YOU DO NOT HAVE THE TRUCK FRAME LENGTH TO DO A TOP MOUNT.





© Copyright



GURGADSUE ANGLEDRUE

COWBOY'S ANGLE DRIVE MOUNT HAS BEEN DESIGNED TO BOLT TO THE TRUCK FRAME WITH THE VACUUM PUMP MOUNTED UNDER THE FRAME RAIL. JUST TIE THE DRIVELINE INTO THE GEAR BOX AND YOU ARE READY TO GO. THESE MOUNTS ARE GREAT WHEN YOU HAVE SPACE RESTRICTIONS. COWBOY PUMPS MAKES MOUNTING THE ANGLE GEAR BOX A BREEZE. JUST ORDER THE CVP-620-A. THIS MODEL COMES WITH THE ANGLE GEAR BOX MOUNT BOLTED TO THE PUMP. NO ALIGNMENT OR SHIMMING. THIS MOUNT CAN BE INSTALLED ON EITHER SIDE OF THE TRUCK.







GYP620SDE HYDRAULE DRIVE



COWBOY'S HYDRAULIC SIDE MOUNT HAS BEEN DESIGNED TO BOLT TO THE TRUCK FRAME WITH THE VACUUM PUMP MOUNTED UNDER THE FRAME RAIL. THESE MOUNTS ARE GREAT WHEN YOU DO NOT HAVE THE TRUCK FRAME LENGTH TO DO A TOP MOUNT. COWBOY PUMPS MAKES MOUNTING THE HYDRAULIC MOTOR A BREEZE. JUST ORDER THE CVP-620-H. THIS MODEL COMES WITH THE HYDRAULIC MOTOR MOUNT BOLTED TO THE PUMP. THIS MOUNT ACCEPTS B AND C FACED MOTORS. NO ALIGNMENT OR SHIMMING. THIS MOUNT CAN BE INSTALLED ON EITHER SIDE OF THE TRUCK.

LET OUR HYDRAULIC EXPERTS HELP YOU ENGINEER YOUR COMPLETE
HYDRAULIC DRIVE SYSTEM.



CVP620 Specifications

RPM Range 1000 - 1400

Maximum Air Flow 375 cfm

Maximum Vacuum 28" hg

Maximum Pressure 35 psi

HP @ 35psi 44 BHP

Port Size 3" NPT

Oil Capacity 1 Gallon

Air Filter S/S Standard

4Way Valve Standard

Vane Inspection Ports Standard

4-Point Lubrication Standard

Anti-Spin Check Valve Standard



Cowboy Pumps stocks the largest inventory of pumps and vacuum parts in the Southwest. Our pump service experts have over 50 years of experience in the vacuum industry.

We have many locations to better serve your pump needs.

Call for a dealer near you: 1-877-221-9786





CRP750 Specifications

RPM Range 600-800 rpm 175 scfm **Maximum Air Flow** 28" hg Maximum Vacuum 40+ psi **Maximum Pressure HP** @ 35psi **25 BHP Port Size** 3" NPT Oil Capacity 7 quarts 4Way Valve **OPTIONAL** Lubrication Star Pump **Net Weight** 800 lbs



Cowboy Pumps stocks the largest inventory of pumps and vacuum parts in the Southwest. Our pump service experts have over 50 years of experience in the vacuum industry.

We have many locations to better serve your pump needs. Call for a dealer near you: 1-877-221-9786







WE HAVE AN EXTENSIVE LINE OF TANKER TRAILERS IN ALL DIFFERENT VARIATIONS TO FIT YOUR SPECS.

Our trailers have been proven since 1979.

"Ride With Quality"







Exchange Program

GIVE US YOUR WORN OUT PUMP FOR A FACTORY REFURBISHED PUMP

We have Cowboy, Fruitland and Garden & Denver refurbished pumps in stock and ready to ship.

GET YOUR TRUCK ON THE ROAD TOMORROW

BY CALLING YOUR SALESMAN TODAY TO

PURCHASE A FACTORY REFURBISHED PUMP,

AND IN MOST CASES WE CAN HAVE YOUR

EXCHANGE PUMP TO YOUR DOOR OVERNIGHT.

AFTER YOU HAVE SWITCHED PUMPS SEND YOUR

OLD CORE WHERE OUR TRAINED MECHANICS

TEAR DOWN, REBUILD, AND THOROUGHLY

TEST THE PUMP, SO WE CAN QUICKLY REFUND

YOU THE BALANCE OF YOUR CORE CHARGE.



Frac Tanks



CALL AND REQUEST A QUOTE FOR YOUR NEW PROCO 500BBL ACID OR STANDARD FRAC TANK.

Manifolds





Unions



Ladder Walkways



Tnemec 390 Touch Up Kit

THE UNIQUE 2-IN-1 60Z TUBE CONFIGURATION IS USER FRIENDLY AND GREAT FOR SMALL REPAIRS AND HOLIDAYS.

Manway Gaskets



AVAILABLE IN VITON, BUNA, & NEOPRENE





Frac Hose

Acid Valves

ACID VALVES HAVE PVC BODIES AND DISCS. ALL LINERS AND SEALS ARE EPDM.

© Copyright

4-Way Valves

PART No.	SIZE	
PA892000	2"	
PA892080	2.5"	
PA893000	3"	
PA894000	4"	
PA896000	6"	



Gear Box

PART No. CD-GB4001:1

Filter Exhausts & Oil Catch Muffler



THESE UNITS TRAP
THE OIL DROPLETS FROM
PUMP DISCHARGE AND
HELP REDUCE PUMP NOISE.

Couplers



Adapter Shafts

PART No. CD-PF8182



Drive Line Kits

PART No. DL-1315



PTO Gear box

OUR TRAINED
PROFESSIONALS
WILL FIND YOU THE
RIGHT PTO FOR
YOUR TRUCK

ALL DRIVE LINE KITS AND PTOS ARE SOLD TO MATCH YOUR TRUCK SPECS

We Stock a Full Line of Rebuild Kits For your Vane or Piston Pump













RINGS ~ DIL FILTER ~ GAUGE ~ GASKETS SPRINGS ~ DIL SEALS ~ WASHERS ~ BREATHER



12v Hydraulic **Coolers**

THIS CIRCULATION COOLER PROVIDES CONTINUOUS COOLING OF YOUR HYDRAULIC SYSTEM



Hydraulic Motors

WE ARE HERE TO HELP YOU!

Let us design your hydraulic pump drive system for optimum performance and durability

Hydraulic Cylinders

AVAILABLE IN ALL SIZE FOR YOUR APPLICATION





Oilfield Suction Hose

OIL AND ABRASION RESISTANT FLEXIBLE - LIGHTWEIGHT



Hot Air Hose

HIGHER HEAT RESISTANT USED BETWEEN VANE PUMPS AND SCRUBBER.

ALL HOSES AVAILABLE IN
ASSEMBLIES OR BY
THE FOOT.

Tank Truck Hose

USED IN THE TRANSFER OR PETROLEUM PRODUCTS



Poly-Chem Corrugated Hose

CHEMICAL AND SOLVENT RESISTANT.

Lockable Hose Racks



KEEP YOUR HOSES ON YOUR
TRAILER WITH PROCO HOSE LOCKS

Duck Bills



WITH CAMLOC QUICK COUPLERS AVAILABLE IN 2", 3", AND 4"

AVAILABLE IN ALUMINUM, BRASS, AND STAINLESS STEEL SIZES 1/2"- 8"

Type A



MALE ADAPTER X FEMALE NPT

Type B



FEMALE COUPLER X MALE NPT

Type C



FEMALE COUPLER X MALE NPT

Type D



FEMALE COUPLER X FEMALE NPT

Type E





Type F



MALE ADAPTER X MALE NPT

Type DC



DUST CAP

Type DP



KC Nipple



REDUCING ADAPTER AND FLANGED ADAPTER ALSO AVAILABLE



Strainers

1/2" - 12"




Cam Fitting Adapters

© Copyright



Air Ride Suspension






Slack Adjuster

Axles

10 Hole Budd, Hub/Drums, 74" TRACK, OIL 25,000LB CAPACITY, COMPLETE





Landing Gear



2 SPEED CRANK
160,000 LBS STATIC CAPACITY

King Pin Plate



CUSTOM BUILT FOR YOUR TRAILER, MANY SIZES IN STOCK.



Hub Caps & Oil Seals

Double Diaphragm Spring Brakes



TYPE 30/30

Single Diaphragm Spring Brakes



TYPE 30



Filter Pots

CUSTOM FABRICATED

DISPOSAL WELL

FILTER POTS. ALL

BUILT TO YOUR

SPECIFICATIONS.

Wheels




SIZES 11R22.5 11R24.5


10 Hole Budd Wheels, Steel, Painted White

F IN CARRON STEEL

Fenders

AVAILABLE IN CARBON STEEL, STAINLESS, AND ALUMINUM






Single Curved

Proco Uni Fender

DESIGNED TO HOLD HOSE
IN AND PROTECT THE TANK
FROM MUD AND PAINT
CHIPS. AVAILABLE IN 10FT
SECTIONS.



WE CAN FABRICATE
ANY BRAND OR
CUSTOM HOSE
TRAY TO YOUR
SPECS OUT OF
CARBON STEEL
ALUMINUM
OR STAINLESS



Proco Cowboy Mud Flaps

24"X20" - ANTI SAIL,
ANTI SPLASH
OTHER SIZES AND
STYLES AVAILABLE

